

AVLV2.E170315 - Appliance Wiring Material - Component

Appliance Wiring Material - Component

See General Information for Appliance Wiring Material - Component

HELUKABEL GMBH

Dieselstrasse 8-12

71282 Hemmingen/Stuttgart, GERMANY

E170315

Table of Recognized Styles

Single-conductor, thermoplastic insulation.							
1002	1162	1439	1627	1921	10346	10651	10988
1007	1177	1444	1631	1922	10347	10666	10989
1008	1185	1447	1637	1929	10356	10675	10994
1010	1195	1473	1638	1930	10368	10678	10995
1011	1200	1475	1642	1940	10387	10680	10997
1013	1207	1477	1647	1943	10390	10681	10998
1015	1208	1478	1650	1950	10428	10682	11008
1017	1211	1479	1662	1953	10429	10683	11009
1019	1218	1480	1672	1967	10438	10684	11010
1020	1226	1482	1674	1972	10446	10699	11034
1021	1227	1483	1675	1973	10449	10705	11035
1022	1233	1484	1679	1976	10456	10707	11037
1023	1235	1490	1680	1992	10467	10708	11107
1024	1237	1497	1683	1994	10479	10729	11108
1026	1239	1498	1685	1998	10483	10737	11113
1027	1241	1499	1691	10002	10484	10750	11117
1028	1249	1500	1692	10008	10489	10752	11118
1030	1252	1508	1694	10012	10492	10754	11120
1032	1253	1509	1706	10037	10493	10764	11122
1037	1265	1510	1723	10042	10522	10767	11134

1039	1266	1513	1728	10053	10530	10768	11146
1049	1283	1516	1729	10059	10532	10770	11170
1054	1284	1517	1730	10062	10533	10771	11179
1061	1304	1523	1731	10070	10539	10774	11211
1063	1314	1533	1732	10071	10540	10775	11212
1095	1316	1534	1747	10097	10541	10794	11213
1099	1330	1538	1748	10104	10542	10795	11214
1107	1331	1557	1758	10107	10545	10796	11215
1108	1332	1568	1759	10108	10553	10797	11216
1109	1333	1569	1761	10113	10557	10798	11217
1110	1335	1571	1762	10124	10559	10799	11295
1113	1336	1575	1763	10127	10572	10800	11304
1114	1337	1576	1777	10131	10578	10801	11321
1115	1345	1577	1781	10138	10579	10856	11323
1116	1347	1581	1783	10140	10585	10857	11324
1117	1349	1582	1787	10152	10586	10858	11445
1118	1354	1583	1788	10198	10587	10867	11482
1119	1365	1586	1792	10221	10593	10921	11526
1120	1366	1589	1793	10232	10599	10924	11635
1121	1371	1591	1800	10236	10602	10925	11641
1122	1375	1592	1828	10258	10615	10946	11657
1123	1386	1598	1829	10263	10623	10954	11658
1124	1429	1600	1836	10264	10627	10958	11659
1146	1430	1605	1840	10269	10631	10965	11660
1148	1431	1609	1856	10271	10636	10974	
1149	1435	1610	1865	10280	10643	10975	
1150	1436	1617	1890	10324	10645	10981	
1160	1437	1618	1903	10330	10646	10982	
1161	1438	1626	1920	10340	10649	10983	
Multiple-conductor, thermoplastic insulation.							
2089	2448	2697	20129	20605	21120	21317	21611
2090	2450	2698	20130	20607	21127	21318	21612
2091	2461	2704	20131	20608	21130	21320	21631

2092	2462	2709	20155	20621	21132	21322	21632
2093	2463	2725	20170	20622	21143	21323	21633
2094	2464	2726	20175	20626	21144	21324	21634
2095	2468	2733	20187	20643	21151	21325	21694
2096	2480	2738	20188	20668	21153	21327	21695
2097	2481	2739	20194	20669	21156	21328	21697
2098	2482	2740	20195	20671	21161	21329	21698
2099	2483	2776	20196	20689	21165	21330	21706
2100	2487	2785	20197	20692	21169	21338	21707
2101	2490	2786	20200	20724	21170	21339	21743
2102	2493	2789	20201	20745	21173	21344	21744
2103	2494	2790	20207	20773	21178	21349	21753
2112	2498	2791	20233	20789	21179	21350	21754
2113	2501	2818	20234	20811	21183	21353	21755
2114	2502	2833	20235	20841	21184	21356	21756
2115	2516	2835	20236	20844	21188	21364	21757
2116	2517	2839	20251	20850	21198	21369	21758
2117	2530	2841	20254	20851	21209	21370	21781
2118	2532	2842	20255	20855	21216	21371	21782
2121	2535	2844	20256	20866	21217	21379	21840
2122	2549	2854	20263	20870	21218	21381	21887
2123	2550	2863	20267	20882	21222	21387	21897
2124	2551	2879	20276	20886	21223	21390	21907
2125	2552	2885	20279	20910	21235	21397	21925
2126	2555	2892	20280	20911	21238	21409	21926
2127	2560	2905	20281	20913	21241	21437	21927
2128	2561	2907	20306	20917	21254	21439	21947
2129	2562	2912	20317	20921	21264	21446	22009
2133	2570	2917	20318	20936	21265	21448	22010
2134	2571	2919	20327	20939	21266	21449	22022
2165	2574	2920	20330	20940	21270	21451	22048
2166	2576	2931	20350	20950	21271	21452	22066
2243	2582	2934	20351	20954	21273	21453	22079

2244	2584	2935	20352	20963	21274	21454	22080
2245	2586	2936	20353	20968	21279	21455	22083
2246	2587	2960	20379	20979	21280	21456	22100
2284	2589	2969	20403	21002	21281	21468	22148
2285	2598	2990	20405	21025	21282	21469	22176
2286	2610	20000	20410	21026	21283	21472	22177
2287	2614	20002	20411	21027	21286	21473	22178
2288	2626	20009	20413	21029	21287	21474	22179
2321	2630	20042	20417	21030	21288	21475	22180
2338	2631	20058	20420	21047	21292	21476	22221
2343	2637	20060	20432	21060	21293	21481	22222
2344	2651	20063	20433	21061	21294	21484	22223
2345	2653	20066	20438	21064	21303	21491	22230
2346	2654	20084	20450	21088	21304	21492	22231
2348	2655	20096	20464	21089	21305	21502	22232
2384	2656	20097	20475	21096	21306	21513	22233
2385	2660	20098	20479	21098	21307	21529	22234
2386	2661	20099	20549	21099	21309	21530	22235
2387	2662	20106	20554	21100	21313	21535	22236
2388	2665	20126	20563	21103	21314	21566	22237
2397	2668	20127	20601	21104	21315	21573	
2405	2678	20128	20603	21118	21316	21576	
Single-conductor, thermoset insulation.							
3135	3271	3315	3393	3469	3644	3773	
3173	3272	3317	3409	3475	3646	3814	
3182	3275	3352	3415	3482	3666	3920	
3195	3296	3376	3423	3529	3676	3995	
3237	3302	3385	3443	3558	3687	3996	
3266	3314	3386	3450	3578	3697	3997	
Multiple-conductor, thermoset insulation.							
4476	4535						

Marking: Company name, voltage rating, temperature rating, conductor size, conductor material if other than copper, and use.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"